

Table of Contents



Knives

Page 2



Hard Cards

Page 10



Blades

Page 3



Meters

Pages 11-13



Scrapers

Page 4



Mark, Trim & Measure

Page 14



Handled Squeegees

Pages 5-6



Installation Accessories

Page 15




Tube Squeegee

Page 7



Sprayers & Cleaning Supplies

Pages 16-17



Squeegee Essentials

Pages 8-9



Slitters

Page 18



GT227

GT227 Olfa XA-1 Ergonomic Knife
This ergonomically correct knife features a comfortable rubber grip for better control and less fatigue.

GT027 NT Pro A-1 "Red Dot" Knife
Regarded by many installers as the finest professional knife available. The blade can be advanced in 1/2 segment increments for precision control. Right or left hand use.

GT127 Olfa "A" Knife
Used for film pattern cutting and trimming. Features a molded plastic handle for maximum control and comfort. Right or left hand use.

GT126 Olfa "Silver" Stainless Steel Knife
The original Olfa stainless steel.

GT226 Olfa "Silver" 2 Auto-Lock Knife
Significantly improved over the original "Olfa Silver." Features right or left-handed use, blade position auto-lock, and one-segment click-action.

GT026 NT Injector Cartridge Knife
Used for film pattern-cutting and trimming. Holds five blades for automatic blade replacement capabilities.

GT124 Plastic Utility Knife
Used for film pattern cutting and trimming.

GT114 Olfa Pro-Load
Holds up to five blades at a time giving you 65 new cutting segments per load.

****Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

Note: All Knives are packaged with Carbon Blades except for the GT126 and GT226, which include a stainless blade.



GT027



GT127



GT126



GT226



GT026



GT124



GT114

GT264 KDS L-22 Gripfit Autolock

Heavy-duty knife with comfortable grip and breakaway points for use with security films 7 mil or greater.

GT944 Automotive Glass Edge Trimmer

Ensures precise "micro-edge" on roll down windows

GT111 Auto Lock 8pt. Knife

Heavy-duty knife with breakaway points for use with security films 7 mil or greater.

GT128 Ceramic Safety Film Cutter

Designed to deliver rapid, precise cuts for thick gauge safety films. It is intended for precision pre-cutting on flat, square-edged tables.

GT135 BLADEater

Designed for professional installers, the BLADEater holds your knife safely and securely, and allows you to easily snap and discard blades into the replaceable well

GT134 BLADEater Replacement Well

****Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

Note: All Knives are packaged with Carbon Blades except for the GT126 and GT226, which include a stainless blade.



GT264



GT944



GT111



GT128



GT134



GT135

Knives
Knives
Knives
Knives
Knives



GT116



GT262

GT116 Olfa Stainless Steel Snap Blades
Pack of 50

GT262 KDS S.S. - Flat Glass/PPF Blades
Pack of 50

Ideal for flat glass and paint protection films



GT115



GT266

GT115 Olfa Stainless Steel Snap Blades
Pack of 10

GT266 KDS S.S Flat Glass/PPF Blades
Pack of 10

Ideal for flat glass and paint protection films



GT265



GT123

GT265 KDS S.S Automotive Blades
Pack of 50

GT123 Olfa Carbon Snap Blades, Pack of 50
Note...these are NOT stainless steel.



GT263



GT112

GT263 KDS Powerblack 8pt Blades -Pack of 50
Fits GT111 or GT264. Ideal for thicker films, 7 mil or greater.

GT112 Olfa UltraMax 8pt Blades - Pack of 50
Replacement blades for GT111 or GT264 heavy-duty knives.
Triple-honed for extremely sharp edge. Ideal for cutting thick
films, 7 mil or greater

****Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

GT108 6" Triumph Carbon Scraper Blades,
Pack of 25

GT108SS 6" Triumph Stainless Steel Blades
Pack of 25

GT110 Heavy Duty Triumph Blades - Carbon
Pack of 10
Replacement blades for GT106

GT211 3" Triumph Blades - Carbon, Pack of 10

GT105 4" Scraper Blades - Carbon, Pack of 10

GT139 Plastic Razor Blades

Perfect for removing adhesive and leftover film from surfaces that
can be easily damaged, such as rear window defrosters or other
sensitive glass surfaces. Pack of 100 blades.

GT140 Single Edge Blades - Carbon, Pack of 100

GT137 Stainless Steel 1" Single Edge Blades
Pack of 100

****Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**



GT108



GT108SS



GT110



GT211



GT105



GT139



GT140



GT137

GT983

GT983A

GT107A

GT107

GT107 PC

GT106

GT988

GT983 6" Ergonomic Triumph Scraper

GT983A 6" Angled Ergo Triumph Scraper

GT107 6" Triumph Scraper

GT107A 6" Angled Triumph Scraper

GT107PC 6" Triumph Scraper with Slide Cover

This is the new and improved version of the slide covered Triumph. With a bigger button and smoother action, the cover easily opens and closes with no hassle. No more fumbling with a separate blade cover, which is safer and more convenient, especially when doing ladder work. Great for regular window cleaning, but not recommended for stripping off old film.

GT106 Red Heavy Duty Scraper

Ideal for film removal. Uses GT110 Heavy Duty Triumph Blades.

GT 988 6" Ettore Scraper

Features a rubber insert on the handle for better control

****Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

Note: All scrapers are packaged with carbon blades

GT212 1" Blade Ade

GT210 3" Triumph Scraper

Smaller version of the regular Triumph. Designed to fit perfectly into corners

GT109 1" Clip Scraper

This effective scraper will accommodate standard or stainless steel single edge blades as well as GT139 plastic razor blades

GT138 Heavy Duty 1" Razor Scraper

Retractable safety scraper, intermediate blade position keeps the blade from sliding out while in use

GT103 4" Scraper with 6" Handle

The GT103 allows for maximum leverage and speed when removing large areas of existing film.

GT104 4" Scraper with Extended Handle

Longer handle allows for even more leverage than the GT103 scraper.

GT994 Big Blade (3" x 4")

Jumbo Size Plastic Razor Blade perfect for cleaning & film removal

****Remember: ANY BLADE CAN CUT OR SCRATCH GLASS! It all depends on the glass, edge of the blade and the angle of the cut. No matter what knife or blade you use, be sure to use a SHARP blade every time!**

Note: All scrapers are packaged with carbon blades

GT212



GT109

GT210



GT103

GT138



GT104



GT994



Scrapers
Scrapers
Scrapers
Scrapers

GT057



GT058



GT257



GT258

GT259



GT985

GT057 5" Crusher Handle

GT058 8" Crusher Handle

These handles are designed to optimize your leverage in removing mounting solution. Holds GT257, GT258 or GT259 squeegee blades. The GT057 is great for high performance automotive films and smaller residential windows, while GT058 is ideal for all residential and commercial applications.

GT257 5" Orange Crush

GT258 5" Cropped Orange Crush

GT259 8" Orange Crush

These blades help expel water from under film while keeping its strength. The 5" Cropped Orange Crush conforms to curved glass. Blades can fit into a handled grip (GT057, GT058) or be used alone.

GT985 Performax Handle

Ideal for water extraction when used with GT117, GT117B, GT203 or GT257. Features socket that accepts standard extension handles such as broom or paint roller extensions. This allows installers to get more leverage. For even more leverage, use GT030 Motus D Grip found on page 15.



Tool Tip:

For maximum solution removal, try the GT057 with a GT117A or GT203A.

- GT053 6" Squeegee & Channel**
- GT054 8" Squeegee & Channel**
- GT055 12" Squeegee & Channel**
- GT056 18" Squeegee & Channel**

Stainless steel channel and soft rubber squeegee blade insert for use with the Unger Pro Handle (GT050). Used in the flat glass cleaning process and in the final cleanup after the film installation to remove soap streaks or smudges.

- GT045 140" Squeegee Blade**
- GT048 12" Squeegee Blade**
- GT049 18" Squeegee Blade**

Replacement blades for Unger squeegee channel, used for window cleaning, not installation.

GT118 Blue Squeegee Refill (6, 8, 12, 18 or 144" roll)

Used in the GT053-056 as a finishing squeegee for maximum water removal.

GT050E Unger ErgoTec Handle

Features a spring mechanism for quick blade changing and a finger indent on top of handle for complete control. For use with GT053-056 channels with black rubber for cleaning or blue replacement blades (GT118) for installation.

GT205 The Bulldozer I - Automotive

Allows you to get to those hard to reach areas, such as behind speakers, brake lights, low angles and rear windows. Features a 6" squeegee blade and is 15" in overall length.

GT206 The Bulldozer II - Flat Glass

Features reinforced ribs on the back side for extra rigidity and leverage. Includes 6" squeegee blade and is 15" in overall length.

GT209 The Scrubber

Used to reach behind speakers and brake lights. Scrub away adhesive along the bottom edges of sloped rear windows. Uses replaceable standard White Scrub Pads GT085 cut 2" x 3". This tool is 3" by 15" long.

GT053-056



**GT045,
048,
049**

GT118




GT050E



GT205



GT206



GT209

GT042**GT069****GT041****GT059****GT061****GT063****GT062****GT064****GT042 8" Silver Security Squeegee**

Comfortable, ergonomic handle is designed especially for security film installation. Curved handle applies more pressure to surface, reducing fatigue and ensuring easier, better installations. Blade is replaceable with either the Security Squeegee (GT041), Flatfoot (GT059) or Pro Squeegee (GT061) blades.

GT041 8" Silver Security Squeegee Replacement Blade**GT069 6" Flatfoot Squeegee Blade**

Flatfoots are specially angled blades for the Pro Squeegee. The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro blade with a square edge.

GT059 8" Flatfoot Squeegee Blade

Flatfoots are specially angled blades for the 8" Pro Squeegee (GT064). The angle is designed to maximize the surface area in contact with the film, thereby removing much more mounting solution than a standard Pro blade with a square edge.

GT061 8" Pro Squeegee Blade

Replacement blade to 8" Pro Squeegee (GT064) used as a means of removing application solutions from beneath the film during the installation of all flat glass film types.

GT063 6" Pro Squeegee Blade

Replacement blade for the 6" Pro Squeegee (GT062) used as a means of removing application solutions from beneath the film during the installation of all flat glass film types.

GT062 6" Pro Squeegee Deluxe

An installation squeegee as a ready-to-use assembly. Used to remove application solution from beneath the film during the installation of all flat glass film types.

GT064 8" Pro Squeegee Deluxe

An installation squeegee as a ready-to-use assembly. Used to remove application solution from beneath the film during the installation of all flat glass film types.

GT122 Blue Max Squeegee with Handle

Ready-to-use installation squeegee uses angled Blue Max and Unger Pro handle.

GT117 Blue Max 5" Hand Squeegee**GT117B Square Blue Max 5" Hand Squeegee**

Ideal for installing security film. For extra leverage, use a GT050 with a GT030 Motus D Grip Handle found on page 14

GT117A Angled Blue Max 5" Hand Squeegee

Installation squeegee for automotive and flat glass applications. Harder than GT203, these tools are excellent for water evacuation.

GT204 Super Clear Max Squeegee with Handle


Ready-to-use installation squeegee uses angled Clear Max and Unger Pro handle.

GT203 Super Clear Max Squeegee Blade**GT203A Angled Super Clear Max Squeegee Blade**

Softer version of the Blue Max Squeegee, more flexible for back window installations.

GT050 Unger Pro Handle

This rubber-coated squeegee handle works with many different squeegee blade attachments: Clear Max, Blue Max, Blue Squeegee Blade and of course the regular squeegee blade with the soft rubber insert (for glass prep) in the stainless steel channels. Essential tool for glass cleaning and for using the special higher durometer finishing squeegee blades.

**GT122****GT117****GT204****GT117B****GT203****GT117A****GT203A****GT050***Handled Squeegees**Handled Squeegees**Handled Squeegees*

GT119 ★



GT120 ★



GT121 ★



GT146 ★



GT142



GT143



GT141 ★ ★ ★ ★ ★



GT144 ★ ★ ★ ★ ★



GT119 4" Black Smoothie Tube Squeegee

GT120 9" Black Smoothie Tube Squeegee

GT121 28" Black Smoothie Tube Squeegee

GT146 28" Black Smoothie Blade Only
Squeegee tool used for glass cleaning, sometimes called the "Smoothie." Economy size (28") usually cut to shorter 4-5" lengths before use.

GT142 8" Blue Turbo with Handle

GT143 4" Blue Turbo with Handle
The stiff blade of the Blue Turbo helps eliminate water from under film. The 4" size has an angled cut to reach into corners and small spaces. Excellent for automotive high performance films.

GT141 20" Blue Turbo with Handle

GT144 20" Blue Turbo Replacement Blade



GT235 5 1/2" Yellow Turbo Squeegee

GT236 5 1/2" Yellow Turbo Squeegee Blade

An installation squeegee used to remove application solution from beneath the film during installation of all auto films.



GT235



GT236



GT145 18 1/2" Yellow Turbo Squeegee

GT147 18 1/2" Yellow Turbo Squeegee Blade

Economy size squeegee usually cut to shorter 4-5" lengths before use. Used for removal of application solution during the installation process.



GT145



GT147



GT150 Red Turbo Squeegee

Used for removal of application solution during the installation process. Also used for paint protection film installations.



GT150



GT040



GT043



GT044BLU ★

GT044RED ★★

GT044BLK ★★★



GT091



GT033



GT092



GT040 Slim Foot

Modeled after the Big Foot Squeegee, the slim foot has a slender design that can reach into tighter openings. This no rib squeegee helps reach behind break lights and has a vinyl grip for secure handling.

GT043 Big Foot

Designed to reach curved back glass windows. This 6" squeegee with a 12" handle allows the installer to apply the necessary pressure in those tight rear window areas. This is a must for every installer's tool box.

GT044BLU Little Foot Blue

GT044RED Little Foot Red

GT044BLK Little Foot Black

This squeegee measures about 6" (15 cm) along the usable edge. The pointed edge of this tool allows the installer to squeegee in very tight areas. The Little Foot has plenty of room to keep a good grip on the squeegee.

GT033 Red Devil Squeegee

Flexible squeegee that is great for tight corners and maneuvering around gaskets.

GT091 Slammer

Used for cleaning corners and along gaskets, wicking water out along borders and easily reaches rear windows and sharp angled corners.

GT092 Shuttle

A hard card with the ability to reach into tight areas located at the bottom edge of rear window glass.

Durometer Legend:



GT148 Block Squeegee, Plain 6"

GT149 Block Squeegee, Plain 12"

GT202 The Conqueror

GT202B Blue Conqueror

Same as the original Conqueror GT202 with a slightly harder durometer for more squeegeeing power.

GT254 Power Stroke Blue

GT255 Power Stroke Red

GT256 Power Stroke Yellow

Blue has a durometer for the ultimate in moisture removal, especially for sputtered films. Red is great for final pass on metal films. Yellow works well with dyed films and first pass on metal films.

GT208 Side Swiper without blade

GT207 Side Swiper

Use GT118-6 as a replacement blade

Durometer Legend:



GT148



GT149




GT202 ★



GT202B

★★



★ ★★ ★★★★★

GT254-256


GT208



GT207



GT032Y ★★



GT067



GT066

GT032G ★



GT034



GT036



GT038

GT032G Tail Fin Green (Soft)

GT032Y Tail Fin Yellow (Firm)

Great for getting behind brake lights and back window applications.

GT067 Clear Super Squeegee, Small 3"

GT066 Clear Super Squeegee, Large 6"

GT034 Whale Tail

Great for getting behind brake lights and back window applications.

GT035 Whale Tail Replacement Blade (not pictured)

GT036 Whale Tail Replacement Handle

GT038 Clear Super Squeegee, Extra Large 12"



Tool Tip:

Try the softer GT032G for paint protection installations

- GT113 Green** Green Diamond Tip
- GT113 Red** Red Diamond Tip
- GT113 White** White Diamond Tip
- GT113 Yellow** Yellow Diamond Tip

These 5" cards have angled corners that allow installers to reach into tight corners making it a great tool for automotive and flat glass applications.



★ ★★ ★★★★★ ★★★★★★

GT113 Green, Red, White, Yellow

GT201Y Yellow Contour (Firm)

GT201G Green Contour (Soft)

- GT200 GLD** EZ Reach Gold
- GT200 PLT** EZ Reach Platinum

- GT151Y** Yellow Quick Foot
- GT151B** Blue Quick Foot
- GT151W** White Quick Foot

Great automotive tools for those hard to reach places.



GT201Y ★★



GT201G ★



GT200 PLT

★★★★★

- GT151W** ★
- GT151B** ★★
- GT151Y** ★★★★★



Durometer Legend:

★ Softest

↓

★★★★★ Hardest



GT086BLU ★



GT086 ★★ ★★



GT086BLK ★★



GT086PNK ★★ ★★



GT086GLD ★★ ★★ ★★



GT086PLT ★★ ★★ ★★ ★★



★
GT086-6Y



★★★ ★★
GT086-6W



★★★
GT086-6B

GT086BLU Teflon Blue Squeegee

GT086 Teflon Edge Squeegee

GT086BLK Teflon Black Squeegee

GT086PNK Teflon Pink Squeegee

GT086GLD Teflon Gold Squeegee

GT086PLT Teflon Platinum Squeegee

GT086-6Y 6" Teflon Yellow Squeegee

GT086-6W 6" Teflon White Squeegee

GT086-6B 6" Teflon Black Squeegee



GT068 Hard Card Sharpener

GT087 Yellow PVC Squeegee

GT079 4" 3M Gold Squeegee

GT087Gray Gray PVC Squeegee

GT099 Universal Squeegee

GT080 4" 3M Blue Squeegee

GT088 Bondo Squeegee

GT083 Lil' Chizler



GT068



GT087 ★



GT079 ★★



GT087 Gray ★★



GT099 ★★ ★★



GT080 ★



GT088 ★



GT083 ★★ ★★



GT978



GT963



GT972



GT978 Laser Thermometer

Reads temperatures of solid surfaces, best when used within three feet of surface. Demonstrate difference once window film is applied to glass with new reading of solid surface. Not to be used on glass.

GT963 U.V. Light Source Lamp

Excellent tool to demonstrate, measure or show how much U.V. window films keep out.

GT972 Digital Tape Measure

This compact meter uses a narrow beam to measure distances instantly, even through door openings and in crowded rooms.

GT962 Heat Lamp Unit

Great tool for tabletop presentations.



Tool Tip:

For sales performed during the sunny part of the day, point the GT978 temperature gun at furniture and other valuables to actively demonstrate how much heat is being added to the house due to the sun's heat rays and explain the damaging effects this can have.

GT962



GT960 Low-E Coating Detector

Detects the presence and location of thermal resistant coatings (LOW-E) used on energy efficient single and dual pane glass. Never requires calibration. Powered by a 9-Volt alkaline battery (included)

GT961 Insulated Glass Thickness & Gap Gauge

Used to measure glass and air space thickness in sealed insulating glass units. Laser reflections off the surfaces of glass appear on the graduated scale of the gauge allowing you to easily determine the thickness of the glass, plus the air space separating the pieces of glass in a sealed IG assembly. Powered by two standard AAA alkaline batteries. (included)

GT969 Toughened Glass Indicator

Used to determine which, if any, panes in a window unit are heat-treated. Knowing this allows use of films that would otherwise be inappropriate on regular annealed glass. Full set of user instructions and leather case included.

GT975 Strengthened Glass Detector

Allows users to confirm if glass has been strengthened. The detector can test single panes of glass or multiple panes in a window at a single time, and from a single side. As a bonus, the SG2700 detector can even identify the thickness of the first piece of glass in the window.

GT966 V.L.T. and Power Meter

The GT966 shows the performance of your film and proves to your customer that your product reduces fading by controlling visible light. It calculates visible light transmission percentages, power readings (W/m²), measures visible light spectrum (400-700 NM), and includes a digital thermometer in Centigrade and Fahrenheit. Powered by a 9-volt battery (included)



GT960

GT961



GT969



GT975



GT966

Meters

Meters

Meters

Meters

Meters

Meters

GT973**GT964****GT977****GT967****GT968****GT973 UV Sentry Meter**

Position the meter facing the UV source, such as sunlight or a heat lamp (GT962), and turn the meter on. Place various materials between the meter and the UV source and the resulting UV Transmission percentage will be displayed.

GT964 U.V. Meter with temperature

This meter gives UV transmission percentages, UV power, and temperature. The GT964 is the most versatile product available for measuring UV. You can measure UV intensities (irradiance), UV Transmission %, and temperature in Fahrenheit and Celsius. Unlike other UV products on the market, the GT964 is extremely simple to operate. The digital display is continually updated with real-time readings. The GT964 is powered by a 9 volt battery (included).

GT977 UV & Solar Dual Transmission Meter

Combines the popular features of the GT973 & GT968 into one simple to use meter.

GT967 Digital BTU Meter

This wide spectrum digital meter measures solar radiant energy intensity directly transmitted through glass (or the film-glass combination) in units of BTUs per square foot per hour or watts per square foot. Effective tool showing the relative effectiveness of various films in blocking solar radiant heat. Especially useful for showing how a very dark dyed film may allow far more energy to pass through than a much lighter metallic film.

GT968 Digital BTU & Trans-Meter

Use this meter to evaluate solar performance. It provides excellent resolution, reading low light conditions more accurately than competitors, with no need for adjustments. The easy to read digital display toggles between power and transmission percentage mode. It's small, portable, and convenient to take out in the field.

GT974 Professional Meter Sales Kit

Our UV & Solar Sales Presentation Kits offer a single source for convenient and convincing sales demonstrations. The kits include locations for glass samples, digital meters, lamps, product literature and more. Show your customer performance numbers they understand, by using our simple Solar Transmission GT968 and UV Transmission GT973 Meters. This demonstration WILL SELL your customers because it operates in terms they can understand. A popular optional item that may be added to the kit is the GT978 Laser Thermometer.

Kit Includes:

- GT968 Digital BTU & Trans-Meter
- GT962 Heat Lamp Unit
- GT973 UV Meter
- Hard Case
- Optional GT978 Laser Thermometer

GT974-SOFT Professional Meter Sales Kit With Soft-Sided Case

Kit Includes:

- GT968 Digital BTU & Trans-Meter
- GT962 Heat Lamp Unit
- GT973 UV Meter
- Soft Case with Strap
- Optional GT978 Laser Thermometer

Note: GT976 Glass samples NOT included in kits

GT976 Glass Sample Set

Conduct your sales demonstration effectively by including glass samples to help illustrate the benefits of film over standard glass. Includes 2 clear single pane, 2 clear IG and 2 low-E sets.

GT974 Soft**GT974****GT976**

Note: Not all items pictured are included in kits

Meters

Meters


Meters

Meters

Meters


Meters

Meters



GT982

Ultraviolet Measurement



Visible Light Measurement



Infrared Measurement



GT982 Spectrum Detective Meter

Effortlessly demonstrate three performance characteristics at a time: UV, Visible, and Infrared transmission values.

The Spectrum Detective shows your customer performance numbers they can understand and proves to them that your "high performance" window films are worth their investment. Simply slide the glass sample into the opening and see the resulting values displayed. No additional light sources are needed. Everything is self-contained in a single convenient package.

Note: Glass samples not included



Tool Tip:

The GT982 Spectrum Detective is ideal for in home demonstrations to illustrate the effectiveness of window film to reduce fading. It will show the reduction of the top three factors that cause fading: Ultraviolet Light, Visible Light and Heat.

GT174 Pocket Detective Meter

Measures visible light transmission and visible light reflectivity on fixed windows.

GT175 Pocket Detective 2.1 Base

Used to measure visual light transmission on roll down windows.

GT992 LaserLabs M100 one piece meter

Used to measure visual light transmission on roll down windows

GT993 LaserLabs M200 two piece meter

Measures Visible Light Transmission on fixed windows.

GT174



GT175



Tool Tip:

To ensure a legal installation, be aware that the visible light transmission of the factory glass must first be taken into consideration. To determine if the completed installation will be within the legal limits, measure the glass without film, then multiply that figure by the visible light transmission of the film.



GT992



GT993



GT991



GT990

GT157-159

GT981



GT078

GT078-75

GT157 1/2" Black Out Tape - 150' Roll

GT158 1" Black Out Tape - 150' Roll

GT159 1 1/2" Black Out Tape - 150' Roll

GT990 3/8" Red Film Tape

GT991 1" Red Film Tape

GT981 Do Not Roll Down Stickers (1000 per roll)
Features low-tack adhesive

GT078 1 1/2" Black Acrylic Felt - 50' Roll
Helps reduce scratching of automotive films on some vehicle roll down windows.

GT078-75 3/4" Black Acrylic Felt - 50' Roll



Tool Tip:

Application of Felt tape has become a popular solution to the familiar "scratching" problem on certain vehicles.

GT075 Yellow Film Marker

Handy for 3 basic purposes: a) marking film prior to installation of windows with unusual shapes (arches, trapezoids, etc.) which must be cut to approximate shape before the final "lay-up;" b) circling a contaminant (hair or fiber) before pulling back the film to remove it; c) marking film edges to check for glass movement on side roll-ups during the trimming process. Yellow grease mark easily wipes away.

GT076 Film Opaquer Pen - Thin Point

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.

GT077 Film Opaquer Pen - Broad Point

Used by installers to hide fine line mistakes in trimming which cause excess light intrusion at the film edge.

GT187 12" Triangle 45/90 degrees with Circle Templates

GT186 8" Triangle 30/60 degrees w/Circle Templates

GT183 18" Straight Rule

GT182 36" Straight Rule

GT188 Windshield Wizard

Allows for quick and accurate trimming around rear-view mirror mounts

GT980 Flame Template

GT075

GT076



GT077



GT182



GT187

GT186



GT183



GT188



GT980

Mark, Measure & Trim

Mark, Measure & Trim

GT030



GT132

GT030 Motus D Grip Handle

GT132 Hook Tool

GT191 The Edge Tool
Used to pull back gaskets.

GT190 5-Way Trim Guide

GT130 Gasket Wizard

This device is used to carefully pull back gaskets for easy film-to-glass installations below the gasket. Rub rails are located at the base of all automotive door window glass and are used for weatherproofing the openings between the glass and the door structure. Many installers find the Gasket Wizard helpful, even without the use of the bungee cords.



GT191



GT190



GT130



Tool Tip:

In addition to a trim guide, the GT190 5-Way Tool is also an effective squeegee, especially when wrapped with a paper towel or cloth to absorb moisture along the border of the film.

Installation Accessories

Installation Accessories

GT921 Jiffy Steamer Film Remover

The Jiffy Steamer is a commercial steamer, impact resistant, 1300 watt heating element, heats up in 2 minutes with 2 hours of steaming per filling. Great for removing film and adhesive off back windows.

GT979 Kevlar Heat Gloves (Pair)

GT194 Gasket Push Stick

GT176 Waist Apron

GT251 Wagner HT3500 Digital Heat Gun

This model allows you to heat shrink in low or high fan speeds and has a variable temperature setting to fine tune the amount of heat needed for a specific application.

GT250 Heat Gun



GT921



GT979



GT194



GT176



GT251



GT250



Tool Tip:

The GT921 Jiffy Steamer will help prevent damaging defroster lines when removing film from rear windows. Besides making life easier, the GT921 will pay for itself in just a few jobs when you consider the considerable time savings.



GT090

GT097

GT098

GT096

GT090 Spraymaster Trigger Sprayer
An overall heavy duty one quart sprayer, this spray bottle comes with a 5 year warranty and is chemically resistant. It is equipped with a strong trigger and holds 32 oz.

GT097 32oz. Bottle

GT098 Adjustable Spray Pump

GT096 Polyspray 2
This pressurized spray bottle holds more solution than the 32 oz. bottles and reduces "finger-fatigue," eliminating the need for pumping while spraying via a simple trigger. Handy for large windows and long-duration sprays. Has an adjustable spray nozzle.

GT101N



GT101-HG



GT101-H

GT101N Stainless Steel 5 Gallon Sprayer
Deluxe pressure sprayer holds up to 5 gallons of mounting solution in a stainless steel tank. Hose can reach up to 15' in length. Fill with solution and pressurize with air from any compressor. Curly, flexible hose reaches into cars or stretches to go up a ladder with you.

GT101-HG 25' Replacement hoze and spray gun for GT101N.

GT101-H Replacement spray gun for GT101N.

GT094 Replacement Nozzle for 3 Gallon Sprayer

GT102P Replacement Pump for 3 Gallon Sprayer

GT102 3 Gallon Pressure Sprayer

Stores either window cleaner or application solution. Essential for those big commercial jobs. Long 13' hose allows great mobility and large capacity gives uninterrupted and fatigue-free installation. Utilizes a GT094 Nozzle that features a brass fan-type spray tip.

GT989 7 Gallon Twin Sprayer

Perfect for shops or large commercial jobs, this 7 gallon sprayer includes a cart and two 25' coiled hoses with guns. No more need for an air compressor or constantly pumping tanks. Use only with GFCI protected circuits.



GT094

GT102P

GT102

GT989



GT070



GT071



GT072



GT085

GT070 Low Lint Wipes

GT071 Virtually "Lint Free" Reusable Wipes

GT072 Wipe Dispenser

For use with GT070

GT085 White Scrub Pad

Great for cleaning windows prior to installation.



low lint or wipes are a necessity for quality window film installations. Absorbent wipes are ideal for cleaning windows and covering hard cards.

- GT160** 19 oz Film Guard
- GT164** Sprayway Adhesive Remover
- GT715** Sprayway Glass Cleaner
- GT716** Plexus Plastic Polish
Anti-static plastic polish - safe for all window films. Leaves behind a protective sheen on any plastic surface.
- GT733** Dirt-Off
1 quart concentrate cleaning solution
- GT714** X-100 Mounting Solution
Not to be used with bronze flat glass films.
- GT162P** Pink Adhesive Remover
- GT735** Film-On
1 quart concentrate mounting solution

*** Be careful when using GT164 and GT162P, they contain chemicals that may damage car interiors.*



After installing film, be sure to clean and polish it with GT160 Film Guard. It is specifically designed for window films and is a great add-on.



GT160

GT715

GT733

GT164

GT716



GT714



GT162P



GT735

GT822



GT821



GT822 72" Box Slitter Channel

72" aluminum U-channel for sliding over the edge of a film box-top to serve as a straight edge when making horizontal cuts (across the web width) after pulling film out to desired length. Handy for in-field work. Saves the cost of more expensive film cutters.

GT821 Blade Holder for GT822

GT910 60" Film Handler - Includes Metric and Imperial measurements

GT911 72" Film Handler - Includes Metric and Imperial measurements

Note: Ladder not included



GT910 (60")
GT911 (72")



The GT910 and GT911 film slitters will reduce waste, save labor and help complete jobs in a more timely manner. They can also be wall mounted for use in automotive applications.

GT943 Filmhandler Replacement Blades

GT940 Filmhandler Repair Kit

GT912 Filmhandler Cutter Assembly
GT986 Filmhandler Blade Holder

GT913 12" Filmhandler Riser Assembly for Security Film with 6" cores

GT942 1/4" Shim for Filmhandler Slitters
GT941 1/8" Shim for Filmhandler Slitters

GT943



GT940



GT912

GT986



Keep film from "telescoping" with a film cutter shim. It fills the gaps that may exist between the 3" hubs and film, insuring a correct fit. You can use as many as needed, or combine a 1/4" thick shim with a 1/8" thick shim.



GT913



GT942 (1/4")



GT941 (1/8")

Knives & Cutters		
GT026	GT026 INJECT KNIFE	6.46
GT027	GT027 RED DOT KNIFE	6.39
GT111	GT111 AUTO LCK 8PT KNIFE	5.28
GT114	GT114 OLFA PRO LOAD	9.15
GT128	GT128 CERAMIC SCRTY CUTR	43.30
GT134	GT134 BLADEATER REFILS	5.58
GT135	GT135 BLADEATER	9.95
GT226	GT226 OLFA SLVR2 AUTO LCK	7.15
GT227	GT227 OLFA XA-1 AUTOLCK	5.07
GT264	GT264 KDS GRIPFIT AUTOLCK	4.67
GT944	GT944 EDGE TRIMMER	13.43
GT984	GT984 NT A-1000RP KNIFE	16.45
KNI	GT124 PLASTIC UTILITY KNIFE	1.00
OL-A	GT127 OLFA A KNIFE	4.95
OL-S	GT126 OLFA SILVER KNIFE	5.95
Blades		
GT108	GT108SS 6 IN SS TRMPH BLDS 25	20.03
GT110	GT110 HD TRMPH BLDS 10	13.66
GT112	GT112 OLFA ULTRMAX 8PT BLDE	23.45
GT115	GT115 OLFA SS BLDS 10 PK	4.95
GT123	GT123 OLFA CARBON BLD 50 PK	12.16
GT137	GT137 STNLS STEEL 1 IN BLD	11.18
GT139	GT139 PLASTIC RAZOR BLD	5.88
GT211	GT211 TRMPH 3 IN BLDS	5.76
GT262	GT262 KDS SS FLT GLASS BLDS	13.94
GT263	GT263 KDS PWR BLK 8PT BLDS	16.65
GT265	GT265 KDS SS AUTO BLDS	13.94
GT266	GT266 KDS SS FLT GLS BLD 10PK	4.10
OLSS-50	GT116 OLFA SS BLADE 50 PK	16.50
SC-100	GT140 SINGLE EDGE BLDS 100	4.55
SCB-4	GT105 4 IN SCRPR BLDS 10	2.95
SCB-6	GT108 6 IN TRMPH BLDS 25	16.23
Scrapers & Scraping Blades		
GT104-4	GT104 4 IN SCRPR 12 IN HNDL	10.30
GT106	GT106 6 IN HD TRMPH SCRPR RED	13.57
GT107A	GT107A 6 IN TRMPH ANGL SCRPR	14.81
GT107PC	GT107PC 6 IN TRMPH SLIDE COVER	14.37
GT109	GT109 1 IN CLIP SCRPR	8.58
GT210	GT210 3 IN TRMPH SCRPR	4.95
GT212	GT212 1 IN BLADE ADE	0.71
GT983	GT983 6IN ERGO TRMPH SCRPR	19.14
GT983A	GT983A 6IN ERGO TRMPH SCRPR AN	22.95
GT988	GT988 6IN ETTORRE SCRPR	13.50
GT994	GT994 LIDCO BIG BLADE	1.34
SC-1	GT138 HD 1 IN RAZOR SCRPR	1.50
SC-4	GT103 4 IN SCRPR 6 IN HNDL	6.65
SC-6	GT107 6 IN TRMPH SCRPR	11.63
Handled Squeegees		
BMAX	GT122 BLUE PWR MAX W/HNDL	15.26
BMAX-6	GT117 BLMAX 5 IN HAND SQE	6.85
BMB-12	GT118 12 12 IN BLMAX SQE REFL	3.50
BMB-18	GT118 18 18 IN BLMAX SQE REFI	4.75
BMB-6	GT118 6 6 IN BLMAX SQE REFI	2.00
BMB-8	GT118 8 8 IN BLMAX SQE REFI	2.75
C-MAX	GT204 SUPER CLR PWRMAX HNDL	14.63
CMAX-6	GT203 SUPER CLEAR MAX SQE	6.35
GT041	GT041 8 IN REP BLAD GT042	9.00
GT042	GT042 SLVR SEC SQE 8 IN	16.76
GT045	GT045 SQE BLD 140 IN	7.51
GT048	GT048 12 IN SQE BLADE	1.26
GT049	GT049 18 IN SQG BLADE	1.83
GT050E	GT050E UNGER ERGO HNDL	8.94

GT057	GT057 5 IN CRUSHER HNDL	32.85
GT058	GT058 8 IN CRUSHER HNDL	36.22
GT059	GT059 8 IN FLTFOOT SQE BLD	10.91
GT061	GT061 8 IN PRO SQE BLD	8.68
GT062	GT062 6 IN PRO SQE DLXE	20.91
GT063	GT063 6 IN PRO SQE BLD	7.34
GT069	GT069 6 IN FLTFOOT SQE BLD	9.62
GT117A	GT117A ANGLD BLMAX 5 IN SQE	8.45
GT117B	GT117B SQRD BLMAX 5 IN SQG	6.32
GT118-144	GT118 144 120 IN BLMAX SQE RE	21.00
GT203A	GT203A ANGL CLEAR MAX SQE	6.85
GT205	GT205 BULLDOZER 1	17.57
GT206	GT206 BULLDOZER 2	17.57
GT209	GT209 THE SCRBBER	15.87
GT257	GT257 5 IN ORNGE CRUSH SQE	6.54
GT258	GT258 5 IN CROPPED CRUSH SQE	7.19
GT259	GT259 8 IN ORNGE CRUSH SQE	11.41
GT985	GT985 PERFORMAX HANDLE	20.34
PH	GT050 UNGER PRO HNDL	7.01
PH-12	GT055 12 IN SQE & CHANNEL	5.03
PH-18	GT056 18 IN SQE & CHANNEL	5.81
PH-6	GT053 6 IN SQE & CHANNEL	3.46
PH-8	GT054 8 IN SQE & CHANNEL	4.20
SQ8	GT064 8 IN PRO SQE DLXE	22.44
Tube Squeegees		
GT141	GT141 20 IN BLUE TRBO W/ HNDL	25.01
GT142	GT142 8 IN BLUE TRBO W/ HNDL	12.26
GT143	GT143 4 IN BLUE TRBO W/ HNDL	5.96
GT144	GT144 20 IN BLUE TRBO REPL BLD	23.47
GT147	GT147 18 1/2 IN YELBLADE O	13.43
GT150	GT150 20 IN RED BARON SQE	18.42
GT236	GT236 5.5 IN YLW TRBO BLDE ONL	5.59
SM-28	GT146 28 IN BLK SMOOTH BLADE	12.77
SM-28H	GT121 28 IN TUBE SQGE	15.43
SM-4	GT119 4 IN TUBE SQGE	4.95
SM-9	GT120 9 IN TUBE SQGE	7.95
VIN18	GT145 18 1/2 IN YEL TRBO SQG	18.95
VIN5	GT235 5.5 IN YEL TRBO SQE	7.95
Special Squeegees		
CON	GT202 CONQUERER	3.95
CSS-LG	GT066 CLEAR SUPER SQE LG	5.50
CSS-SM	GT067 CLEAR SUPER SQE SM	3.75
GT032G	GT032G TAIL FIN GREEN	14.30
GT032Y	GT032Y TAIL FIN YEL	14.30
GT033	GT033 RED DEVIL SQE	1.24
GT034	GT034 WALE TAIL CMLPTE	17.00
GT035	GT035 WALE TAIL RFL BLDE	10.21
GT036	GT036 WALE TAIL HNDL	9.23
GT038	GT038 CLR SUPR SQE 12 IN	13.71
GT040	GT040 SLIM FOOT SQE	24.48
GT043	GT043 BIG FOOT SQE	24.91
GT044	GT044 RED LIT FOOT SQE	2.50
GT044-BK	GT044BK BLK LIT FOOT SQE	2.52
GT044-BL	GT044BL BLU LIT FOOT SQE	2.52
GT113	GT113YLW DIAMOND TIP YLW	2.17
GT113-GR	GT113GRN DIAMOND TIP GREEN	2.02
GT113-RD	GT113RED DIAMOND TIP RED	2.02
GT113-WH	GT113 WHT DIAMOND TIP WHITE	2.30
GT149	GT149 BLCK SQE 12 IN	1.25
GT151	GT151 QUICK FOOT YEL	3.90
GT151B	GT151B QUICK FOOT BLU	3.90
GT151W	GT151W QUICK FOOT WHT	3.90
GT200	GT200 EZ REACH GOLD	1.83

GT200PLT	GT200 PLT EZ REACH PLAT	2.38
GT201G	GT201G CONTOUR GREEN	4.16
GT201Y	GT201Y CONTOUR YEL	2.90
GT202B	GT202B BLUE CONQUERER	4.95
GT207	GT207 SIDE SWIPER	12.00
GT208	GT208 SIDE SWIPER W/O BLD	9.32
GT254	GT254 PWR STROKE SQE BLUE	5.33
GT255	GT255 PWR STROKE SQE RED	5.33
GT256	GT256 PWR STROKE SQE YLW	5.33
SHUT	GT092 SHUTTLE	2.76
SLAM	GT091 SLAMMER	5.43
W-6	GT148 BLCK SQE 6 IN	1.00
Hard Cards		
BD-4	GT088 YLW BONDO SQE	1.00
BLU	GT080 BLUE RIBBED SQE	1.25
CHIZ	GT083 LIL CHIZLER	1.00
GRY	GT087G GREY RIBBED SQE	1.43
GT079	GT079 4 IN 3M GOLD SQE	3.12
GT086-PNK	GT086 PNK PINK TELFON SQE	2.84
GT086Y	GT086Y 6IN YEL TFLON SQE	3.36
GT099	GT099 UNIVERSAL SQE	1.00
PIC	GT086 TFLON EDGE SQE	1.25
PIC-6	GT086 6W 6 IN WHT TFLON SQE	2.16
PIC-B	GT086BLK BLK TFLON SQE	2.50
PIC-B6	GT086 6B 6 IN BLK TFLON SQE	2.93
PIC-BL	GT086BLU BLUE TFLON SQE	1.66
PIC-G	GT086GLD GLD TFLON SQE	2.60
PIC-PLT	GT086PLT PLAT TFLON SQE	2.16
SHARP	GT086 HARD CARD SHARPNER	11.50
YEL	GT087 YLW RIBBED SQE	1.25
Meters		
GT960	GT960 LOW E DETECTOR	220.86
GT961	GT961 IG THICKNESS GAUGE	433.20
GT962	GT962 HEAT LAMP UNIT	84.00
GT963	GT963 UV LIGHT SOURCE PEN	112.00
GT964	GT964 UV METER WITH TEMP	216.89
GT966	GT966 V L T AND PWR METER	216.89
GT967	GT967 DIGITAL BTU METER	104.09
GT968	GT968 DIGITAL BTU & TRANS METR	147.00
GT969	GT969 TGHNEED GLASS INDCTR	248.00
GT971	GT971 SLVR METER CARRY CASE	336.41
GT972	GT972 ELEC TAPE MEASURE	41.76
GT973	GT973 UV METER	171.36
GT974	GT974 UV AND SOLAR SALES KIT	673.47
GT974SOFT	GT974SOFT SOFT CASE KIT	654.36
GT975	GT975 TMRPD GLAS DETECTR	462.89
GT976	GT976 XM1400 DUAL TRANS MTR	373.10
GT977	GT 977 GLASS SAMPLE SET	71.75
GT978	GT978 NON CONTACT THERMO	122.25
GT982	GT982 SPECTRUM DECTVE MTR	729.81
GT992	GT992 LASER LABS M100 MTR	118.08
GT993	GT993 LASER LABS M200 MTR	211.56
LM	GT175 POCKET DET BASE ONLY	191.48
LM2	GT174 2 PC POCKET DETCTVE	413.88
Tape Rolls, Markers, Trim & Measurement		
18RUL	GT183 18 IN STRAIGHT RULER	5.75
36RUL	GT182 36 IN STRAIGHT RULER	8.00
BT-2	GT157 1/2 IN X 150FT B/O TAPE	8.00
BT-4	GT158 1 IN X 150FT B/O TAPE	12.50
BT-5	GT159 1+1/2 IN X 150FT B/O TAP	14.95
GT075	GT075 YLW FILM MARKER	0.82
GT078	GT078 BLK FELT 15 IN X 50 FT	37.09
GT078-75	GT078-75 BLK FELT .75 IN X 50F	36.29

GT188	GT188 WINDSHIELD WZRD	15.33
GT980	GT980 FLAME TMLPATE	31.89
GT981	GT981 DO NOT ROLL DN STX 1000	41.08
GT987	GT987 72IN RULER	15.68
GT990	GT990 3/8IN RED FILM TAPE	3.64
GT991	GT991 1IN RED FILM TAPE	6.15
PEN	GT076 FILM OPAQUER THIN	4.88
PENL	GT077 FILM OPAQUER BROAD	5.31
TRI	GT186 8 IN TRIANGLE 30/60	6.95
TRI12	GT187 12 IN TRIANGLE 45/90	15.00
Accessories		
5-WAY	GT190 5 WAY TOOL GREY	3.00
APR	GT176 APRON	8.52
GLA	GT194 GASKET PUSH STICK	1.50
GT030	GT030 MOTUS D GRIP	7.98
GT130	GT130 GASKET WIZARD	101.14
GT132	GT132 HOOK TOOL	6.29
GT191	GT191 EDGE TOOL	15.00
GT250	GT250 WAGNER HT1000 HEAT GUN	31.30
GT251	GT251 WAGNER HT3500 HEAT GUN	63.21
GT921	GT921 STEAMER	223.20
GT979	GT979 KEVLAR GLOVES PAIR	14.58
Sprayers & Cleaning Supplies		
ASL-2	GT096 POLYSPRAY 2	16.95
GAPR	GLOBAL APRON	8.34
GT070	GT070 TORK WIPE ROLL	10.00
GT071	GT071 SUPR PREP TOWLS 300	32.55
GT072	GT072 TORK DISPENSER	31.68
GT090	GT090 SPRYMSTER TRIG SPRYR	6.32
GT094	GT094 NOLE FOR GT102	9.52
GT095	GT095 PRES VALVE FOR GT102	2.92
GT097	GT097 BOTTLE ONLY 32 OZ	0.52
GT098	GT098 ADJST SPRAY HEAD	1.95
GT101	GT101N 5 GAL STAN STL SPRAYR	239.35
GT101-H	GT101 H RPLCMNT FOR GT101	42.23
GT102	GT102 3 GAL PRES SPRYR	50.72
GT102-OP	GT102OP PUMP ASBY OLD GT102	28.72
GT102P	GT102P PUMP ASMBLY FOR GT102	25.04
GT160	GT160 FILM GUARD 19OZ	3.76
GT162P	GT162P PINK ADHSV STRIP GAL	7.64
GT164	GT164 SPRAY ADHSV REMOVER	6.22
GT714	GT714 X100 MNTG SOLUTION	15.00
GT715	GT715 SPRAYWAY GLAS CLNR	2.85
GT716	GT716 PLEXUS POLISH 13 OZ	12.74
GT730Q	GT730Q TINT OFF QUART	6.95
GT733	GT733 DIRT OFF CONCNTRTE	9.95
GT735	GT735 FILM ON CONCNTRTE	9.95
GT989	GT989 7 GALLON TWIN SPRYR	667.15
SCRUB	GT085 WHT SCRUB PAD	1.00
Film Slitting		
GT821	GT821 BLADE HLDR FOR GT822	10.91
GT822	GT822 72 IN BOX SLITTER CHNL	18.69
GT910	GT910 60IN FILM HNDLR	870.84
GT911	GT911 72 IN FILM HNDLR	840.00
GT912	GT912 BLADE HLDR ASSY FOR GT	90.53
GT913	GT913 12 IN RISERS GT911 1P	257.76
GT940	GT940 FILM HNDLR REPAIR KIT	24.60
GT941	GT941 FILM HNDLR SHIM 1/8 IN	38.75
GT942	GT942 FILM HNDLR SHIM 1/4 IN	42.64
GT943	GT943 FILM CUTR REPL BLDS	5.54
GT986	GT986 FILM CUTR BLD HLDR	69.95
QP-1	COMPLETE SPRAYER BOTTLE	2.75
SCRUB-TK	GT085THK-THK WHT SCRUB PAD	1.25